

- 5.2. The number, size, and location of all proposed sewer connections and relative location and size of all water mains, leaders, and risers; and
- 5.3. A statement from the New York City Department of Environmental Protection, giving the minimum water pressure in the main serving the building.
6. Seismic protection and restraint details for piping and equipment as required by Chapter 16 of the *New York City Building Code*.
7. Details showing structural supports for water tanks where required.
8. In areas of special flood hazards, construction documents shall comply with Appendix G of the *New York City Building Code*.

SECTION BC 107
TEMPORARY STRUCTURES AND USES

107.1 General. Refer to Chapter 1 of Title 28 of the *Administrative Code*.

SECTION BC 108
FEES

108.1 Payment of fees. Refer to Chapter 1 of Title 28 of the *Administrative Code*.

SECTION BC 109
INSPECTIONS

109.1 General. Except as otherwise specifically provided, inspections required by this code or by the department during the progress of work may be performed on behalf of the owner by approved inspection agencies or, if applicable, by special inspectors. However, in the interest of public safety, the commissioner may direct that any of such inspections be performed by the department. **All inspections shall be performed at the sole cost and expense of the owner.** Refer to Chapter 1 of Title 28 of the *Administrative Code* for additional provisions relating to inspections.

109.2 Preliminary inspection. Refer to Chapter 1 of Title 28 of the *Administrative Code*.

109.3 Required progress inspections. The inspections set forth in Sections 109.3.1 through 109.3.8 shall be made during the progress of work to verify substantial compliance with the code and with approved construction documents

109.3.1 Footing and foundation inspection. Footing and foundation inspections shall be made after excavations for footings are complete and any required reinforcing steel is in place. For concrete foundations, any required forms shall be in place prior to inspection. Materials for the foundation shall be on the job, except